




Imperial Fastener Company

Break-A-Way™

**The Innovative
Choice in
Curtain Hanging
Systems**



Correctional Facilities



Imperial Fastener Company is a leading manufacturer of flame resistant curtains, draperies, institutional shower curtains for correctional, psychiatric, and health care facilities.

Imperial consistently strives to provide innovative solutions to meet the special needs of today's correctional facilities. The unique "Break-A-Way" system was designed with durability and simplicity in mind. The system consists of the Jiffy curtain track and "safety tabs". The tabs slide into the track through an inconspicuous opening and quickly attach to continuous loop tape securely sewn to the top of the hem of the curtain. Tabs are normally spaced every 4"; however, "Break-A-Way" action may be increased or decreased by adjusting the number of tabs. All tracks come with non-removable end stops.


Since Imperial custom fabricates all tracks and curtains, any size for any application is possible. If you need curtains with clear vinyl panels for security or nylon mesh tops for ventilation...no problem! Your order is designed to suit your special needs.

Imperial "safety tabs" will hold any type of shower, cubicle, or drapery fabric. Choose from a large selection of fabrics in many styles and price ranges, all designed to provide years of service. Most are inherently flame-resistant and easily laundered. The most popular fabrics are the Sure Chek for shower curtains and the 100% Trevira polyester for curtains and draperies.

Let Imperial provide the innovation, quality, and service you need to operate today's demanding correctional facilities!


Tracks

IFC-79 Jiffy Break-A-Way Wall Mounted Track



Section Size: 1 3/16" x 1 5/16" x .062" wall thickness; extruded of 6063-T5 aluminum alloy; finish is 204-R1 satin anodized. Tab aperture is milled into top of track.

IFC-69 Jiffy Break-A-Way Ceiling Mounted Track



Section Size: 1 7/16" x 1 9/16" x .062" wall thickness; extruded of 6063-T5 aluminum alloy; finish is 204-R1 satin anodized. Tracks can be custom fabricated to size and shape with 12" radii bends up to 20' total length.

Fabrication Specifications


"Break-A-Way" draperies are made specifically for use with the IFC-79 Jiffy Track. The 4" box pleats are double lock stitched; the bottom hem is a full 3" and sides are a full 1" wide. The continuous 1 1/2" wide loop tape is double lock stitched to the 1 1/2" top hem.

"Break-A-Way" shower curtains are made specifically for use with the IFC-69 Jiffy Track. Top and bottom hems are 1 1/2" wide and double lock stitched. Side hems are 1/2" wide. Bottom hems are not required; however, if needed for security purposes, clear vinyl panels can be fabricated and double lock stitched to the bottom of curtain.



Safety Tabs

Imperial "safety tabs" are 4" long and 3/4" wide. Three safety tabs per foot are provided with the tracks. The amount of resistance before "breaking" is determined by the number of tabs that are installed in the track. For tab insertion, the Jiffy aperture is milled into the side of the track to minimize its visibility.



Nylon Mesh

For those areas that have sprinklers or special ventilation requirements, Imperial offers color coordinated #50 mesh (1/2" hole) flame resistant nylon mesh. The nylon mesh is double lock stitched to the top of the curtain fabric, with a 1/2" wide triple thick top seam. The height of the mesh can be any desired size.

Curtains and Window Covering Systems

Ceiling Mounted Shower Curtains

Sure Chek is the finest shower curtain fabric available – extremely durable, permanently flame resistant, self deodorizing, fluid proof, anti-bacterial, self-sanitizing, and tear resistant. In addition Sure Chek never needs laundering; therefore curtains can be cleaned in place.

This high-performance, linen finish fabric comes in a variety of colors, and is an ideal choice for “sensitive” areas where inmates are not under constant supervision.

Fabrics

Wall Mounted Window Coverings

This systems provides an attractive and simple window covering—no continuous cords or tapes are required. In addition, the lack of pins or hooks allow for easy machine laundering and rehangng.

A vast array of solids, stripes, textures, and patterns is available from Imperial. All are made of 100% Trevira Polyester, which is permanently flame-resistant and machine washable up to 160° F. The optional liner is also 100% Trevira Polyester. Please call or email for fabric swatches.



Shown above:

Sure Chek curtain with mesh panel at the top for ventilation and clear vinyl panel at bottom for security.




Mounting Details


These details represent just a few of the many possible methods for installing the Jiffy Break-A-Way Track. If specific procedures are outlined in contract documents, verify with the architect exactly which method to follow.

Fastening devices noted here are to be used as guidelines only. Specific size and spacing requirements must be determined by the installer. No fastening devices or above-ceiling supports are furnished with the track; however, the use of tamper-proof screws is recommended.


Mounting to Plaster or Gypsum Board Ceiling





Mounting to Plaster or Gypsum Board Wall



Mounting to Concrete Ceiling



Mounting to Concrete Wall



Mounting Through Suspended Ceiling to Furring Above

Guarantee

Every Imperial track system is covered by an unconditional one-year guarantee against defects in materials and workmanship.

You can depend on Imperial Fastener Company for exceptional value, outstanding service, and superior quality curtain hanging systems.

When you're looking for the best quality and proven performance... look for **Imperial!**



Imperial
Fastener
Company

1400 S.W. 8th Street,
Pompano Beach,
Florida 33069

Phone: 954.782.7130

Fax 954.782.0089

Email: info@imperialfastener.com
imperialfastener.com

Printed in U.S.A.
© 2009 Imperial Fastener Co., Inc.